



Administrative Management Systems, Inc.  
205 West Main Street, PO Box 730  
Sackets Harbor, NY 13685  
Phone: (315) 646-2234  
Fax: (315) 646-2297  
E-mail: staff@amscert.com



# ACKNOWLEDGEMENT OF CERTIFICATION

THIS IS TO ACKNOWLEDGE THAT AS OF THIS DATE

**Northwestern Inds, Inc.**  
**Yuma, AZ**


IS A CURRENT LICENSEE AND HAS MET ALL GUIDELINES AND REQUIREMENTS FOR THE IGCC@/IGMA@ CERTIFICATION PROGRAM AND AS SUCH IS ELIGIBLE TO LABEL THE BELOW INDICATED PRODUCT(S) AS IGCC@/IGMA@ CERTIFIED. THE FOLLOWING ARE IN COMPLIANCE WITH ASTM E2190 FOR SEAL DURABILITY OF INSULATING GLASS UNITS AND PASSING GAS CONTENT INITIAL AND AFTER WEATHERING (GCIA) CERTIFICATION REQUIREMENTS AS INDICATED.

<u>CERT #</u>	<u>GLASS</u>	<u>SPACER</u>	<u>FRAME CONST.</u>	<u>DESICCANT</u>	<u>SEALANT</u>	<u>GCIA</u>
2249	U/C2	MA	BC4/GSJ/CT	LF	PIB/S2	Yes

THIS IGCC@/IGMA@ PROGRAM CERTIFICATION IS CURRENT AND IN FULL EFFECT AS OF THIS ISSUE DATE. CERTIFICATION IN THE IGCC@/IGMA@ PROGRAM IS SUBJECT TO SEMI-ANNUAL RENEWAL. PLEASE CHECK THE CURRENT CERTIFIED PRODUCTS DIRECTORY OR THIS OFFICE FOR MOST CURRENT INFORMATION.

Monday, December 5, 2016  
DATE OF ISSUE

February 1, 2017 - January 31, 2018  
CERTIFICATION PERIOD

  
ADMINISTRATIVE MANAGER